
 Material Safety Data Sheet MSDS	USA * See Sec. VIII HMIS INDEX Health Index-1 Flammability-0 Reactivity-0 Personal Protection-A*	NFPA CODE 	CANADA WHMIS INDEX Health-1 Flammability-0 Reactivity-0 Personal Protection-A*
	SECTION I		
Trade Name	LENOX SawMaster® Synthetic Fluid		Emergency Telephone
Chemical Name And Synonyms	Amine Complex - Trade Secret		1-800-642-0010
Manufacturer's Name	Lenox®		Revised Date 7/25/2012
Address (Number, Street, City, State, Zip)	301 Chestnut Street, East Longmeadow, MA 01028-0504 U.S.A.		
SECTION II - INGREDIENTS			
Triethanolamine - 99% CAS #102-71-6 > 1% This Sawing Fluid Does Not Contain Any Chemicals Listed in SARA Title III, Section 313 Of The Emergency Planning And Community Right-To-Know Act Of 1986 Or In OSHA 29 CFR 1910, Subpart Z List Note - Canadian Users: This Is Not A Controlled Product Under The WHMIS			
SECTION III - PHYSICAL DATA			
Boiling Point	99°C / 210°F	Percent Volatile By Volume%	NA
Vapor Pressure (mmHg) < 1mmHg	NA	p.H.	9.7 - 10.0
Vapor Density (Air = 1)	NA	Evaporation Rate	NA
Solubility In Water	100%	Pour Point C/F	-12°C / 10°F
Specific Gravity (H2O = 1)	1.076	Viscosity	
Appearance and Odor	Translucent Amber, Odor - Characteristic		
SECTION IV - FIRE AND EXPLOSION HAZARD DATA			
Flash Point (Closed Cup)	None (Contains Water)	Flammable Limits	None
Extinguishing Media	Water or Carbon Dioxide	LEL	NA
Special Fire Fighting Procedures	None Required		
Unusual Fire And Explosion Hazards	None		
SECTION V - HEALTH HAZARD INFORMATION			
Symptoms/Effects Of Overexposure	None Known		
Medical Conditions Aggravated By Exposure	None Known		
Carcinogenicity	No	Biodegradable	Yes
FIRST AID			
Eyes	Flush Eyes With Water For 15 Minutes. See Physician If Irritation Persists.		
Skin	Wash Infected Area With Soap And Water.		
Ingestion	Do Not Induce Vomiting. Give Large Quantities Of Water But Only If Victim Is Conscious Contact A Physician As A Precautionary Measure If Necessary Acute Oral Toxicity LD50 > 5.0g/kg This Fluid Is Not Classified As Toxic.		
Note:	This Product Is Not A DOT Hazardous Material And Is Therefore Not Regulated		

NA-Not Applicable NE-Not Established
 Lenox 301 Chestnut Street, East Longmeadow, MA 01028-0504 U.S.A.
 800-628-3030 413-525-2336
 Fax: 800-223-7906 413-525-2336

SECTION VI - REACTIVITY

Stability Product is Stable And Will Not Polymerize

Incompatible Materials: Strong Acids or Alkalies

Hazardous Decomposition Product: None Known

SECTION VII - SPILL OR LEAK PROCEDURES

Procedures: Small Amounts - Flush With Water. Large Amounts Should Be Removed And Disposed Of In Accordance With Local, State, Federal Or Provincial Regulations.

Waste Disposal Method: Used Sawing Fluid Must Be Disposed Of In Accordance With Local, State, Federal Or Provincial Regulations. Determine Waste Classification At time Of Disposal

SECTION VIII - SPECIAL PROTECTION INFORMATION

***Eyewear:** Use of Eye Protection Is A Good Industrial Practice Or As Required By Your Employer

Clothing/Gloves: Use Impervious Gloves/Clothing As Needed Or As Required.

Respiratory: None Required

Ventilation: Adequate Ventilation

Work/Hygiene Practices: Wash Hands With Soap And Water As Required.

SECTION IX - SPECIAL PRECAUTIONS

Flood Lubricant For Industrial Use Only. Not Designed For Use As A Spray Lubricant. Use As Directed. Store Indoors.

Contaminated Clothing Should Be Washed Before Reuse.

Protect From Freezing. If Frozen, Thaw To Room Temperature And Agitate.

Should Not Be Used On Magnesium

The information contained here in has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its misuse.